


SKD - 61 Straight Ejector Pin



D	H	d	
3 (6)	4	1	-0.008 -0.018
		1.5	
		2	
6		2.5	
7	6	3	-0.010 -0.020
		3.5	
8		4	
		4.5	
9	8	5	-0.015 -0.022
		5.5	
10		6	
		6.5	
11	8	7	-0.018 -0.027
		8	
13		9	
		10	
14	8	12	-0.018 -0.027
15		13	
17		16	
18		20	
21	8	25	-0.018 -0.027
25			
30			


D	H	d	
1/4	1/8	3/64	-0.008 -0.018
		1/16	
		5/64	
		3/32	
9/32	5/32	1/8	-0.010 -0.020
		9/64	
		5/32	
		11/64	
11/32	3/16	3/16	-0.015 -0.022
3/8		7/32	
13/32		1/4	
7/16		9/32	
1/2	1/4	5/16	-0.018 -0.027
9/16		11/32	
5/8		3/8	
11/16		7/16	
3/4	1/4	1/2	-0.018 -0.027
7/8		5/8	
1"		3/4	

Extrusion Series

SKD - 61 Straight Ejector Pin

	mm	inch	L ⁺¹ L ₋₄																
			100	150	200	250	300	350	400	450	500	550	600	650	700	750	800	850	900
d	1.5		●	●	●														
	1.6	$\frac{1}{16}$	●	●	●	●													
	2	$\frac{5}{64}$	●	●	●	●	●												
	2.5	$\frac{3}{32}$	●	●	●	●	●	●											
	3	$\frac{1}{8}$	●	●	●	●	●	●	●										
	3.5	$\frac{9}{64}$	●	●	●	●	●	●	●										
	4	$\frac{5}{32}$	●	●	●	●	●	●	●	●	●								
	4.5	$\frac{11}{64}$	●	●	●	●	●	●	●	●	●								
	5	$\frac{3}{16}$	●	●	●	●	●	●	●	●	●								
	5.5		●	●	●	●	●	●	●	●	●	●							
	6	$\frac{7}{32}$	●	●	●	●	●	●	●	●	●	●	●						
	6.5	$\frac{1}{4}$	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	7	$\frac{9}{32}$	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	8	$\frac{5}{16}$	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	9	$\frac{11}{32}$	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	10	$\frac{3}{8}$	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	12	$\frac{7}{16}$	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	13	$\frac{1}{2}$	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	16	$\frac{5}{8}$	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	20	$\frac{3}{4}$	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	25	1"	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

SKH- 51 Straight Ejector Pin



Material	Hardness
SKH51	HRC58°~60°

D	H				L				
			d		100	150	200	250	300
3	4	BT509	0.8	-0.01 -0.02	●	●	●		
			0.9		●	●	●		
			1.0		●	●	●		
			1.1		●	●	●		
			1.2		●	●	●		
			1.3		●	●	●		
			1.4		●	●	●		
1.5			●		●	●			
1.6			●		●	●			
4			1.7		●	●	●		
	1.8		●		●	●			
	1.9		●		●	●			
5	2.0		●		●	●	●		
	2.1		●		●	●	●		
	2.5		●		●	●	●		
6	3.0		●		●	●	●	●	
7	3.5		●		●	●	●	●	
	4.0		●		●	●	●	●	
9	4.5		●		●	●	●	●	
	5.0		●		●	●	●	●	
10	5.5		●		●	●	●	●	
	6.0		●		●	●	●	●	
11	8(4)		6.5		●	●	●	●	
	8(6)		7.0		●	●	●	●	
13	8(4)		8.0		●	●	●	●	
14	8		9.0		●	●	●	●	
15	8(4)		10.0		●	●	●	●	
16	8		11.0		●	●	●	●	
17	8(4)		12.0		●	●	●	●	